



PROFIBUS DP Slave Communication Module

PS69-DPS

The PS69-DPS module expands the functionality of Rockwell Automation's CompactLogix™ to include PROFIBUS DP V0/V1. The PS69-DPS is a more cost-effective option offering more features than the MVI69-PDPS, and supports both I/O control and messaging. Explicit ladder logic CIP message blocks provide slave status diagnostic data and acyclic messaging.

The PS69-DPS interface appears to the CompactLogix controller as a standard I/O module allowing it to be configured via RSLogix™ 5000, or configuration can be transferred from the Master to the PS69-DPS. For third party configuration a GSD file is supplied. The slave interface possesses a diagnostic interface and has rotary switches for setting of the bus address. Complete program examples for simple and quick start-up are available.

Each module is equipped with LEDs to display communication and device status.

Features and Benefits

Features	Benefits
PROFIBUS Certified	Recognized quality certification mark
DPV1 supported	Provides for acyclic messaging, extended diagnostics and extended data support
Ladder logic module configuration	Better Rockwell Automation® integration using ladder logic software

Configuration

The GSD file supplied is sufficient to integrate the PS69-DPS as a PROFIBUS DP Slave into the configuration of any PROFIBUS Master. The PROFIBUS address is set by rotary switches. The slave configuration can be either transferred from the Master to the PS69-DPS or can be defined from the Logix application.

Product Comparison

	MVI69-PDPS	PS69-DPS
Cross-platform similarity	✓	
Cyclic I/O (bytes)	200 in/ 200 out	244 in/ 244 out
PROFIBUS PNO Certified		✓
PROFIBUS DPV1 Support (Acyclic messages, Acyclic Read/Write Data)		✓
Price/Performance for OEM & Machine Builders		✓
RSLogix™ 5000 configuration		✓
CIP Messaging (better performance, ladder communication)		✓
Lower Cost		✓

General Specifications

- Single Slot - 1769 backplane compatible
- The module is recognized as an Input/Output module and has access to processor memory for data transfer between processor and module
- Ladder Logic is used for data transfer between module and processor. Sample ladder file included.
- Supports CompactLogix and MicroLogix 1500 LRP Controllers except 1769-QBFC1B, 1769-L16x, and 1769-L18x

